IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A process for purifying difructose dianhydride III

(hereinafter referred to as DFA III), which comprises adding powdered active carbon to a

DFA III containing purified solution, containing DFA III of the purity 90% or more, at a

concentration of R-Bx 10-60, at a rate of 5% or less 0.1-5% to the solid content, and after

defecation, separating the liquid part from the solid part, concentrating the liquid part,

followed by immediate crystallization.

Claims 2 and 3 (Canceled)

Claim 4 (Currently Amended): The A process as claimed in Claim 1 any one of

Claims 1 to 3, wherein the average particle size of the powdered active carbon is 15-50

microns and the maximum particle size 200 microns or less.

Claim 5 (Currently Amended): The A process as claimed in Claim 1 any one of

Claims 1 to 4, wherein the solid-liquid separation is carried out by at least one operation

selected from filtration with a filter aid, the use of a membrane filter, and the use of an

ultrafilter membrane.

Claim 6 (Currently Amended): A process for purifying DFA III, which comprises

chromatographing at least one of intermediates produced in the total steps for purification

from a DFA III containing solution to a product crystals of DFA III product, and adding the

resulting DFA III fraction in at least one step for purification.

11

Claims 7-12 (Canceled)

Claim 13 (Currently Amended): A process for purifying DFA III, which comprises separating a syrup from crystals by crystallization in total purification steps from a DFA III containing solution to a product crystals of DFA III product, and after further centrifugation to eliminate fine crystals, adding the syrup to at least one step for purification.

Claim 14 (Currently Amended): A process for purifying DFA III, which comprises adding powdered active carbon to a DFA III crude solution for purification at a rate of <u>0.1-5% 5% or less</u>, preferably 0.1-3%, to the solid content, the DFA III containing crude solution containing DFA III of the purity 60% or more, at a concentration of R-Bx 10 or more, and after defecation, separating the liquid part from the solid part, concentrating the liquid part, followed by immediate crystallization.

Claim 15 (Currently Amended): <u>The A process as claimed in Claim 14</u>, wherein the DFA III containing crude solution is at least one of a DFA III containing solution, a DFA III fraction obtained by chromatography, a crystal or crude crystal syrup.

Claim 16 (Currently Amended): <u>The A process as claimed in Claim 14 or 15</u>, wherein the average particle size of the powdered active carbon is 15-50 microns and the maximum particle size 200 microns or less.

Claim 17 (Currently Amended): The A process as claimed in Claim 14 any one of Claims 14 to 16, wherein the solid-liquid separation is carried out by at least one operation

12

selected from filtration with a filter aid, the use of a membrane filter, and the use of an ultrafilter membrane.

Claim 18 (Currently Amended): The A process as claimed in Claim 15 any one of Claims 15 to 17, wherein the DFA III containing solution is an enzyme reaction solution produced by action of fructosyltransferase on inulin.

Claim 19 (Currently Amended): The A process as claimed in Claim 18, wherein inulin of which the polymerization degree of fructose is 10 or more, is used.

Claim 20 (Currently Amended): The A process as claimed in Claim 18 any one of Claims 18 to 19, wherein inulin of which the polymerization degree of fructose is 10-60, is used.

Claim 21 (Currently Amended): The A process as claimed in Claim 18 any one of Claims 18 to 20, wherein an inulin fructotransferase (depolymerizing) is used as a fructosyltransferase.

Claim 22 (Currently Amended): <u>The A process as claimed in Claim 21</u>, wherein as an inulin fructotransferase (depolymerizing), at least one of a purified enzyme, crude enzyme, enzyme-containing material, the cells, the culture, and its processed material derived from Arthrobacter sp. AHU 1753 strain (FERM BP-8296), is used.

Claim 23 (Currently Amended): Crystals, crushed crystals or granular crystals of DFA III of which the purity is 95w/w% or more, prepared according to the a process as claimed in Claim 1 any one of Claims 1 to 22.

Claim 24 (Currently Amended): A process for producing a DFA III containing solution, which comprises making a fructosyltransferase act on inulin of which the polymerization degree of fructose is 10 or more, preferably 10-60.

Claim 25 (Currently Amended): <u>The A process as claimed in Claim 24</u>, wherein the <u>fructosyltranferase is</u> an inulin fructotransferase (depolymerizing) derived from Arthrobacter sp. AHU 1753 strain (FERM BP-8296) is used as a fructosyltransferase.

Claim 26 (Currently Amended): The A process as claimed in Claim 25 Claim 24, wherein inulin of which the polymerization degree of fructose is 10-60 10 or more, preferably 10-60 and the polysaccharide content is 80-100%, 80% or more, is used.

Claims 27-28 (Canceled)

Claim 29 (Currently Amended): A process for producing highly pure crystals of DFA III, which comprises producing a DFA III containing solution in a process as claimed in Claim 24 Claim 28, chromatographing chromatographing the solution, and immediately concentrating and crystallizing the resulting DFA III rich fraction.

Claim 30 (Currently Amended): A process for purifying difructose dianhydride III (hereinafter referred to as DFA III), which comprises treating a DFA III containing solution,

containing DFA III, of which the purity is less than 70%, by a method selected from at least one member of the group consisting of treatment with yeast, defectaion and filtration, and chromatography.

Claim 31 (Currently Amended): The A process for purifying DFA III, as claimed in Claim 30, wherein the DFA III containing solution is at least one of a solution produced by action of a fructosyltransferase on a fructose polymer or a material containing fructose polymer[[,]] condensate thereof, syrup for crystallization and separation, and a mixture of one or more of them.

Claim 32 (Currently Amended): The A process for purifying DFA III, as claimed in Claim 30 any one of Claim 30 to 31, wherein the treatment with yeast is carried out by adding yeast to the DFA III containing solution material, followed by incubation under aeration.

Claim 33 (Currently Amended): The A process for purifying DFA III, as claimed in Claim 30 any one of Claims 30 to 31, wherein the defectaion and filtration comprises treatment with powdered active carbon and solid-liquid separation.

Claim 34 (Canceled)

Claim 35 (Currently Amended): A process for producing a fructosyltransferase, which comprises incubating a microorganism producing a fructosyltransferase on a culture medium comprising containing inulin.

Claim 36 (Currently Amended): <u>The A process as claimed in Claim 35</u>, wherein a culture medium containing inulin at a content of 0.1-10%, preferably 0.5-5%[[,]] is used.

Claim 37 (Currently Amended): The A process as claimed in Claim 35 any one of Claims 35 to 36, wherein a culture medium, further comprising containing an a yeast extract, is used.

Claim 38 (Currently Amended): The A process as claimed in Claim 37, wherein the culture medium comprising containing an a yeast extract at a content of 0.02-2.0%, preferably 0.1-1.5%[[,]] is used.

Claim 39 (Currently Amended): <u>The A process as claimed in Claim 35 any one of Claims 35 to 38</u>, wherein the aeration is set at <u>0.5-2 vvm</u> 0.5 vvm or more, preferably 1-2 vvm during incubation.

Claim 40 (Currently Amended): <u>The A process as claimed in Claim 35</u>, wherein the fructosyltransferase is at least one <u>member</u> selected from <u>the group consisting of inulase</u>, inulin fructotransferase (depolymerizing), inulin fructosyl-β-1,2-fructofuranosyltransferase (cyclizing), and cycloinulooligosaccharide fructanotransferase.

Claim 41 (Currently Amended): The A process as claimed in Claim 35 any one of Claims 35 to 40, wherein a large amount of enzyme is produced in a large-scale apparatus for cultivation of microorganisms, using a huge fermentation tank of 50 liter volume or more[[,]] preferably 100 liters or more.

Claim 42 (Currently Amended): A biologically pure culture of bacterium producing a fructosyltransferase[[,]] Arthrobacter sp. AHU 1753 strain (FERM BP-8296).